

INDEX*

RUBBER CHEMISTRY AND TECHNOLOGY

VOLUME 62, 1989

AUTHOR INDEX†

- Abrams, P. I., Kennelley, K. J., and Johnson, D. V.**, A user's approach to qualification of dynamic seals for sour-gas environments (abs-F88#83) (1) 175
- Aglan, H. and Moet, A.**, The resistance of rubber compounds to brittle crack propagation (1) 98
- Al-Mehdawe, Mohammed S. and Stuckey, J. E.**, Rubber-bound antioxidants. I. Amine antioxidants bound to polychloroprene rubber (1) 13
- Andres, Mladen; Liu, Juwhan; and Koenig, Jack L.**, Solid-state carbon-13 NMR studies of vulcanized elastomers. VI. Relaxation in sulfur-vulcanized natural rubber (1) 82
- Armistead, J. P.**, see Fox, R. B. (abs-S89#8) (4) 798
- Atsumi, Masao**, see Miyata, Yoshiaki (1) 1
- Baliff, Ralph, Jr.**, SPC for short-run extrusions (abs-F88#17) (1) 162
- Basu, Dipak Kumar**, see Mandal, Swapan Kumar (4) 569
- Benecfield, Robert E. and Ruiz, Oscar A.**, Statistical design of rubber-modified thermoplastics. Part IV: Effects of EP(D)M polymerization variables on properties of olefinic TPEs (abs-F88#88) (1) 177
- Bernal, Enrique**, see Martinez, Enrico N. (abs-S89#55) (4) 776
- Bhatia, Rajeev**, see Quirk, Roderic P. (2) 332
- Björk, Folke; Dickman, Ola; and Stenberg, Bengt**, Long-term studies of rubber materials by dynamic mechanical stress relaxation (review) (3) 387
- Boone, Luis E.**, see Muhs, Joseph H. (abs-S89#40) (4) 773
- Boone, Luis E. and Richwine, John**, Injection mold design for thermoplastic elastomers (abs-S89#4) (4) 768
- Brantley, Randall O.**, Implementing CUSUM in the laboratory environment (abs-F88#13) (1) 160
- Brück, D.**, see Engels, H.-W. (4) 609
- Burr, R. H. and Ruppman, K. H.**, SBS modification of recycle PET beverage bottles (abs-F88#85) (1) 176
- Burton, L. C., Hwang, K., and Zhang, T.**, Dynamic electrical and electromechanical properties of carbon-black-loaded rubber (5) 838
- Capelle, Gerd and Hunziker, Peter**, Rubber processing extruders for the feeding of calenders (abs-S89#20) (4) 770
- Case, Kenneth E. and Bigelow, James S.**, Capability and performance indices: Proper use in the process industries (abs-F88#14) (1) 161
- Cesare, Frank C.**, Ozone-resistant natural rubber blends (abs-F88#73) (1) 171
- Chase, Mike**, see McKinstry, Paul H. (abs-S89#39) (4) 773

* The first issue of Volume 62 contains abstracts of Fall 1988 Meeting Papers not published in full in Rubber Chemistry and Technology; the fourth issue has abstracts from the Spring 1989 Meeting. Fall '88 abstracts are cited (abs-F88#...) which include the paper number. Spring '89 abstracts are shown as (abs-S89#...). Complete copies of these papers can be obtained from Mrs. Ruth Murray, Rubber Division, ACS, The University of Akron, Akron, OH 44325.

† Prepared by Lois W. Brock.

- Chee, K. K., see Ng, S. C. (4) 585
- Cheremisinoff, Nicholas P. and Shulman, Cindy B., Study of the hydrodynamic and viscoelastic properties affecting the surface appearance of extruded EPDM compounds (abs-S89#19) (4) 769
- Chikamune, K., Tokuda, M., Inoue, K., Utsunomiya, K., and Hitofude, Y., Relation between prevention of ozone cracking in rubber (0–60°C.) and carbon atom number in *n*-alkane (abs-S89#56) (4) 776
- Chung, B., see Funt, J. M. (abs-S89#43) (4) 774
- Chung, M. H. and Hamed, G. R., Bonding of butyl and nitrile rubber by *in situ* copolymer formation (2) 367
- Clough, R. S. and Koenig, J. L., Solid-state carbon-13 NMR studies of vulcanized elastomers. VII. Sulfur-vulcanized *cis*-1,4-polybutadiene at 75.5 MHz (5) 908
- Coran, A. Y., Ignatz-Hoover, F., and Davis, L. H., Coactivation of delayed action vulcanization. Part I. Polymeric, nonmigratory cure coactivators for accelerated sulfur vulcanization (5) 957
- Crochet, Marcel J., Numerical simulation of viscoelastic flow: a review (review) (3) 426
- Datta, Rabindra Nath, see Mandal, Swapan Kumar (4) 569
- Davis, L. H., see Coran, A. Y. (5) 957
- Dean, Paul R. II, Sulfur-olefin copolymers as substitutes for insoluble sulfur in natural rubber compounding (abs-F88#61) (1) 169
- Dickman, Ola, see Björk, Folke (review) (3) 387
- Donnet, Jean Baptiste; Vidal, A.; and Hao, Shi Zhi; Filler-surfaces physico-chemical changes, their characterization and influence on the rubber properties (abs-S89#34) (4) 771
- Dorsett, Dovalée, SPC considerations of the process capability indices for a chemical process (abs-F88#15) (1) 161
- Dunn, John R., Compounding for modern automotive requirements (abs-F88#37) (1) 165
- Engels, H. -W., Hammer, H., Brück, D., and Redetsky, W., Effectiveness of new alkyl-aryl-*p*-phenylenediamines which can be chemically bound to polymers—Model study (4) 609
- Enright, Tom, Are you really serious about quality? (abs-F88#1) (1) 157
- Estilal, A. and Hammerstrand, G. E., Postharvest degradation of guayule rubber (4) 635
- Farber, Milton, Edward M. Bevilacqua (1920–1968) (2) G47
- Feke, Donald L., see Horwatt, Steven W. (5) 928
- Floyd, Raymond C., Quality improvement through root cause analysis (abs-F88#16) (1) 161
- Fox, R. B., Armistead, J. P., Roland, C. M., and Moonay, D. J., Synthetic sequence effects in semi and full interpenetrating networks (abs-S89#8) (4) 768
- Freund, B. and Wolff, S., Analytical parameters of silicas and their relation to rubber properties (abs-S89#24) (4) 770
- Fries, H. and Stollfuss, B., Structure and properties of butadiene rubber (abs-F88#8) (1) 159
- Funt, J. M., Chung, B., and Ouyang, G. B., Industrial rubber products: carbon black and compound performance (abs-S89#43) (4) 774
- Fusco, J. V., Gardner, I. J., Tracey, D. S., and Hous, P., Chlorobutyl designed for curing members (abs-S89#57) (4) 776
- Gardner, I. J., see Fusco, J. V. (abs-S89#57) (4) 776
- Gent, A. N., A hypothetical mechanism for rubber abrasion (4) 750
- Gent, A. N. and Kaang, S. Y., Pull-out and push-out tests for rubber-to-metal adhesion (4) 757
- Goettler, L. A., Kear, K. E., and Wang, Y. L., The processing and performance of an oil-resistant thermoplastic elastomer (abs-F88#66) (1) 170
- Goldberg, Alfred, Lesuer, Donald, and Patt, Jacob, Fracture morphologies of carbon-black-loaded SBR subjected to low-cycle, high-stress fatigue (2) 272

- Goldberg, Alfred, Lesuer, Donald, and Patt, Jacob**, Observations made during stretching, tearing, and failure of NR and SBR loaded with various amounts of carbon black (2) 288
- Gornowicz, Gerald A. and Lee, Chilong**, Effects of moisture on the tensile strength of urethane copolymers made from 4,4-dicyclohexylmethane diisocyanate (abs-F88#45) (1) 165
- Graham, J. W. and Pillow, J. G.**, A new peptizable polychloroprene (abs-S89#9) (4) 769
- Gregory, Alan**, Quality—a national priority (abs-F88#29) (1) 164
- Halladay, J. R. and Warley, R. L.**, The effect of crosslink structure on the dynamic mechanical properties of polydimethylsiloxane elastomers (abs-F88#7) (1) 159
- Haller, H. S. and George, C. M.**, A guide for company-wide quality improvement (abs-F88#31) (1) 164
- Hamed, G. R.**, see Chung, M. H. (2) 367
- Hamed, Gary R. and Hatfield, S.**, On the role of bound rubber in carbon-black reinforcement (1) 143
- Hamzér, H.**, see Engels, H. -W. (4) 609
- Hammerstrand, G. E.**, see Estilai, A. (4) 635
- Hao, Shi Zhi**, see Donnet, Jean Baptiste (abs-S89#34) (4) 771
- Harrell, E. R.**, see Huang, C. D. (2) 343
- Harris, J. A.**, Design principles for vibration isolation and damping with elastomers including nonlinearity (review) (3) 515
- Harris, Robert E.**, see Lattimer, Robert P. (review) (3) 548
- Hatfield, S.**, see Hamed, G. R. (2) 143
- Hertz, D. R., Jr.**, Solubility parameter concepts—a new look (abs-S89#36) (4) 772
- Hilborn, J. and B. Rånby**, Photocrosslinking of EPDM elastomers. Photocrosslinkable compositions (4) 592
- Hisaki, H., Takinami, S., Kataoka, Y., Sekiya, M., and Suzuki, S.**, Properties of newly developed carboxylated-VP latex on the adhesion of polyester tire cord to rubber (abs-F88#81) (1) 174
- Hitofude, Y.**, see Chikamune, K. (abs-S89#56) (4) 776
- Ho, K. and Steevens, R.**, Diels-Alder reaction curing of chlorobutyl rubber by bis-maleimides (1) 42
- Holden, Geoffrey and Speer, Kyle H.**, Automotive applications of styrenic thermoplastic elastomers (abs-F88#86) (1) 176
- Hong, Sung Whee**, New processing agent in tire compounds (abs-F88#53) (1) 167
- Horwatt, Steven W.; Rwei, Syang-Peng; Manas-Zloczower, Ica; and Feke, Donald L.**, The influence of interstitial liquids on the cohesive strength of carbon-black agglomerates (5) 928
- Huang, Y. S. and Yeoh, O. H.**, Crack initiation and propagation in model cord-rubber composites (4) 709
- Hudson, John A.**, Injection molding thermoplastic elastomers (abs-F88#68) (1) 171
- Hunziker, Peter**, see Capelle, Gerd (abs-S89#20) (4) 770
- Hwang, K.**, see Burton, L. C. (5) 838
- Ignatz-Hoover, F.**, see Coran, A. Y. (5) 957
- Ikeda, Yuko; Kohjiya, Shinzo; and Yamashita, Shinjo**, Segmented polyurethane and polyurethaneurea based on triblock copolyether as biomedical materials (abs-F88#21) (1) 162
- Ingram, J. A.**, see Mazich, K. A. (2) 305
- Inoue, K.**, see Chikamune, K. (abs-S89#56) (4) 776
- Isayev, A. I.**, see Sobhanie, M. (5) 939
- Jablonski, Thomas L.**, Compound requirements and compounding techniques for rubber-covered rolls (abs-S89#38) (4) 772
- Kaang, S. Y.**, see Gent, A. N. (4) 757
- Kataoka, Y.**, see Hisaki, H. (2) 174

- Killgoar, P. C., Jr., see K. A. Mazich (2) 305
- Killgoar, P. C., Jr., see Mazich, Kenneth A. (5) 850
- Killgoar, Paul C. Jr. and Rokosz, S. M., Thermoplastic elastomers and the automobile: Some examples (abs-F88#87) (1) 176
- Kinsey, Robert A., see Lattimer, Robert P. (1) 107
- Klingender, R. C., Oyama, M., and Salto, Y., High-strength compound of HSN and its applications (abs-S89#62) (4) 777
- Klingensmith, William, see Trojan, Michael J. (abs-S89#46) (4) 774
- Koenig, J. L., see Clough, R. S. (5) 908
- Koenig, Jack L., see Andries, Mladen (1) 82
- Kuberka, Kathleen, Nitrogen use and supply for tire curing processes (abs-F88#82) (1) 174
- Kwon, Y. D., see Prevorsek, D. C. (2) 386
- Lattimer, Robert P., see Schulten, Hans-Rolf (4) 698
- Lattimer, Robert P., Kinsey, Robert A., Layer, Robert W., and Rhee, C., The mechanism of phenolic resin vulcanization of unsaturated elastomers (1) 107
- Lattimer, Robert P. and Harris, Robert E., Analysis of components in rubber compounds using mass spectrometry (review) (3) 548
- Layer, Robert W., see Lattimer, Robert P. (1) 107
- Layer, Robert W., Synergism between thiocarbonyl and 2-benzothiazyl sulfenamide accelerators (1) 124
- Lebel, M. A., Robinson, K. J., and Schwarz, H. F., A new family of oil-resistant thermoplastic elastomers (abs-F88#54) (1) 167
- Legge, N. E., Thermoplastic elastomers—Three decades of progress (review) (3) 529
- Lesuer, Donald, see Goldberg, Alfred (2) 272, 288
- Lin, Sin-Shong, Degradation behaviors of natural, guayule, and synthetic isoprene rubbers (2) 315
- Liu, Juwhan, see Andries, Mladen (1) 82
- Loadman, M. J. R. and Tinker, A. J., The application of swollen-state CW-¹H NMR spectroscopy to the estimation of the extent of crosslinking in vulcanized polymer blends (2) 234
- Lobos, Z. J. and Tang, H., Rheological determination of molecular weight and molecular-weight distribution for commercial-type butyl elastomers (4) 623
- Ma, Eric C., Thermoplastic polyurethane—The first TPEs (abs-F88#65) (1) 170
- Maisel, J. William, Seeley, W. Edward, and Woodruff, R. J., Unique synthetic sodium aluminosilicate (SSAS) pigments as TiO₂ extenders in rubber compounds (abs-S89#29) (4) 771
- Manas-Zloczower, Ica, see Horwatt, Steven W. (5) 928
- Manal, Swapan Kumar; Datta, Rabindra Nath; and Basu, Dipak Kumar; Studies on cure synergism—Part I. Effect of *bis*-(diisopropyl) thiophosphoryl disulfide and thiazole-based accelerators in the vulcanization of NR (4) 569
- Martinez, Enrico N.; Vazquez, Jose Emilio; and Bernal, Enrique; Improvements in processibility of polybutadiene for tire applications (abs-S89#55) (4) 776
- Massoubre, Jean-Marie, The radial tire, a peaceful revolution, (3) G83
- Mazich, K. A., see Sullivan, J. L. (1) 68
- Mazich, K. A., Killgoar, P. C., Jr., and Ingram, J. A., Mean-field calculations of the dynamic mechanical properties of heterogeneous elastomer blends (2) 305
- Mazich, Kenneth A., Morman, K. N., Oblinger, F. G., Pan, T. Y., and Killgoar, P. C., Jr., The effect of specimen thickness on the tearing energy of a gum vulcanizate (5) 850
- McKinstry, Paul H. and Chase, Mike, The effective use of millable urethane elastomers for rubber roll coverings (abs-S89#39) (4) 773
- Medalia, A. I., Alesi, A. L., and Mead, J. L., Pattern abrasion as a mechanism of wear of tank track pads on an asphalt road (abs-F88#34) (1) 165
- Mehta, M. M., Implementation of statistical process control for batch chemical industries (abs-F88#2) (1) 157
- Meinecke, E. A., see Riahi, Farid (abs-S89#49) (4) 774

- Miller, Donald E.; Gozdoff, Michael M.; Shaheen, Frank; and Dean, Paul R. II;** Persistent antioxidants for polymers contacting extractive media (abs-F88#63) (1) 169
- Miller, J. E.,** Organizing for SPC: a model for evaluating SPC development (abs-F88#3) (1) 158
- Miller, R. A.,** see Nakajima, N. (2) 357
- Mirza, J.,** see Rohde, E. (abs-S89#1) (4) 767
- Miyata, Yoshiaki and Atsumi, Masao,** Zinc oxide crosslinking reaction of polychloroprene rubber (1) 1
- Moet, A.,** see Aglan, H. (1) 98
- Moody, Dale R.,** Wrapping with rubber: a wrap-up on advances in roll builders (abs-S89#41) (4) 773
- Moonay, D. J.,** see Fox, R. B. (abs-S89#8) (4) 768
- Moore, Kenneth C.,** A practical polymer-chain concentration basis for elastomer substitutions (abs-F88#11) (1) 159
- Mori, Kunio; Watanabe, Akira; and Saito, Minoru;** Fixing between metals and NBR vulcanizates and its prevention (2) 195
- Morman, K. N.,** see Mazich, Kenneth A. (5) 850
- Morton, Maurice,** From rubber chemistry to polymers: a history of polymer science at The University of Akron (1) G19
- Muhr, A. H. and Thomas, A. G.,** Determination of crack-growth characteristics using the angled testpiece (2) 219
- Muhr, A. H. and Thomas, A. G.,** Flexible rubber-steel sandwich springs (5) 820
- Muhs, Joseph H., Rader, Charles P., and Boone, Luis E.,** Thermoplastic elastomers in rubber roller fabrication (abs-S89#40) (4) 773
- Murthy, N. S.,** see Prevorsek, D. C. (2) 386
- Nahmias, M.,** see Van Ooij, W. J. (4) 656
- Nakajima, N., Huang, C. D., Scobbo, J. J., Jr., Shieh, W. J., and Harrell, E. R.,** Network formation by association of polar groups in elastomers (2) 343
- Nakajima, N. and Miller, R. A.,** Nature of network, carbon-black-rubber interaction and heat aging of polyethylacrylate vulcanizates (2) 357
- Nakamura, Tsutomu and Fukuda, Takeshi,** Silicone rubber isolators in vibration protection (abs-F88#78) (1) 173
- Ng, S. C. and Chee, K. K.,** Differential scanning calorimetry study of natural rubber and epoxidized natural rubber and their binary blends (4) 585
- Nishizawa, Hitoshi; Nishimura, T., Takayama, M., and Momota, R.,** A study on rubber bearings used in base isolation systems (abs-F88#75) (1) 172
- Nordin, Salleh,** Improved oil resistance of natural rubber (abs-F88#80) (1) 174
- Oberth, Adolf E.,** Dilutability, a potential method to analyze polyurethane elastomers (1) 55
- Oblinger, F. G.,** see Mazich, Kenneth A. (5) 850
- Obrecht, W.,** see Rohde, E. (abs-S89#1) (4) 767
- Okita, Taisuke; Yamaguchi, Tetsuo; Kurimoto, Isao; and Ohashi, Kazutoshi;** Novel carbon-black/rubber coupling agent (abs-F88#59) (1) 168
- Ouyang, G. B.,** see Funt, J. M. (abs-S89#43) (4) 774
- Oyama, M.,** see Klingender, R. C. (abs-S89#62) (4) 777
- Parker, Dane K. and Schulz, G. O.,** *N*-(4-anilinophenyl)-methacrylamide, A polymerizable amine antioxidant: Synthesis, copolymerization, copolymer properties, and performance (4) 732
- Patt, Jacob,** see Goldberg, Alfred (2) 272, 288
- Patterson, G. D.,** Light scattering from gels (review) (3) 498
- Pillow, J. G.,** see Graham, J. W. (abs-S89#9) (4) 769
- Plage, Bernd,** see Schulten, Hans-Rolf (4) 698
- Pouchelon, A. and Vondracek, P.,** Semiempirical relationships between properties and loading in filled elastomers (5) 788

- Powell, Linda A. and Huynhba, Gia, Copolyester thermoplastic elastomers (abs-F88#56) (1) 168
- Prevorsek, D. C., Murthy, N. S., and Kwon, Y. D., Viscoelastic properties of nylon 6 and nylon 66 tire cords: morphological analysis (correction) (2) 386
- Quesnel, J. P., Application of elasticity models with constraints on chains and junctions to characterization of randomly crosslinked networks (5) 800
- Quirk, Roderic P. and Bhatia, Rajeev, Alkylolithium-initiated polymerization of *trans*-1,3,5-hexatriene and copolymerization with styrene (2) 332
- Rader, Charles P., see Muhs, Joseph H. (abs-S89#40) (4) 773
- Rahalkar, R. R., Dependence of wet skid resistance upon the entanglement density and chain mobility according to the Rouse theory of viscoelasticity (2) 246
- Rånby, B., see Hillborn, J. (4) 592
- Rau, Frederick C., Implementing a total quality process—SPC is not enough (abs-F88#30) (1) 164
- Redetsky, W., see Engels, H. -W. (4) 609
- Rhee, C. K., see Lattimer, Robert P. (1) 107
- Riahi, Farid, and Meinecke, E. A., The effect of cure level and mixing time on the dynamic properties of natural rubber (abs-S89#49) (4) 774
- Richwine, John, see Boone, Luis E. (abs-S89#4) (4) 768
- Rigbi, Zvi, Interaction of solvent with metal-loaded cured and uncured rubber mixes (abs-F88#22) (1) 163
- Rigbi, Zvi, The effect of metal dispersed in the molten state on the properties of a rubber compound (abs-S89#33) (4) 771
- Rodriguez, Gumersindo and Touchet, Paul, Linear regression on the correlation of rubber properties with service life of T-142 track pads (abs-S89#3) (4) 767
- Rohde, E., see Pabst, J. (abs-S89#10) (4) 769
- Rohde, E., Thorner, J., Mirza, J., Szentivanyi, Z., and Obrecht, W., Effect of crosslinking system on the processing behavior and performance profile of hydrogenated nitrile rubber (HNBR) (abs-S89#1) (4) 767
- Roland, C. M., see Fox, R. B. (abs-S89#8) (4) 768
- Roland, C. M. and Sobieski, J. W., Anomalous fatigue behavior in polyisoprene (4) 683
- Roland, C. M., Network recovery from uniaxial extension. I. Elastic equilibrium (5) 863
- Roland, C. M., Network recovery from uniaxial extension. II. The origin of the Mullins effect (5) 880
- Roland, C. M. and Trask, C. A., Miscible elastomer mixtures (5) 896
- Roland, C. Michael, Rubber mixtures (review) (3) 456
- Roovers, Jacques, Synthesis and properties of ring polybutadiene (1) 33
- Rondreux, Michel, Jean-Marie Massoubre, Charles Goodyear Medalist—1989 (3) G79
- Russell, David D., Effect of chain end segments on structure-property relationships in TPUs (abs-F88#47) (1) 166
- Rwei, Syang-Peng, see Horwatt, Steven W. (5) 928
- Saito, Minoru, see Mori, Kunio (2) 195
- Saito, Y., see Klingender, R. C. (abs-S89#62) (4) 777
- Sambhi, M. S., Kinetics of chain scission of natural rubber (5) 779
- School, Rudy, Markets for thermoplastic elastomers (abs-F88#69) (1) 171
- Schulten, Hans-Rolf; Plage, Bernd; and Lattimer, Robert P., Pyrolysis-field ionization mass spectrometry of rubber vulcanizates (4) 698
- Schulz, G. O., see Parker, Dane K. (4) 732
- Scobbo, J. J., Jr., see Huang, C. D. (2) 343
- Seeley, W. Edward, see Maisel, J. William (abs-S89#29) (4) 771
- Sekiya, M., see Hisaki, H. (1) 174
- Sexsmith, David R., SPC in the nonproduction environment (abs-F88#28) (1) 163
- Sheridan, Daniel F., Jr., see Tomlinson, W. (4) 643
- Shieh, W. H., see Huang, C. D. (2) 343
- Shulman, Cindy B., see Cheremisinoff, Nicholas P. (abs-S89#19) (4) 769

- Silva, L. K., Mark, J. E., and Boerio, F. J.**, Some spectroscopic evidence for bond-angle deformation in elastomeric networks at high elongations (abs-F88#19) (1) 162
- Smith, Walt**, Growing applications of diisocyanate ester polyurethane elastomers in non-transportation tire applications (abs-S89#53) (4) 775
- Sobhanie, M. and Isayev, A. I.**, Viscoelastic simulation of flow of rubber compounds (5) 939
- Sobieski, J. W.**, see Roland, C. M. (4) 683
- Stahl, Peter**, The present status of polyester/thermoplastic/elastomer (abs-F88#57) (1) 168
- Steevensz, R.**, see Ho, K. (1) 42
- Stenberg, Bengt**, see Björk, Folke (review) (3) 387
- Stewart, Edward L.**, Extrusion processing and screw selection for thermoplastic elastomers (abs-F88#67) (1) 170
- Stockdale, Michael K.**, Thermoplastic elastomers from NBR and polyvinyl chloride (abs-F88#55) (1) 167
- Strawn, Steven**, see Thompson, Gerald (abs-S89#37) (4) 772
- Stuckey, J. E.**, see Al-Mehdawe, Mohammed S. (1) 13
- Su, Long-ji**, Dynamic and thermorheological properties of gum and filled rubber compounds at various strain amplitudes (abs-S89#51) (4) 775
- Sullivan, J. L. and Mazich, K. A.**, Nonseparable behavior in rubber viscoelasticity (1) 68
- Suzuki, S.**, see Hisaki, H. (1) 174
- Szentivanyi, Z.**, see Rohde, E. (abs-S89#1) (4) 767
- Takinami, S.**, see Hisaki, H. (1) 174
- Tang, H.**, see Lobos, Z. J. (4) 623
- Thomas, A. G.**, see Muhr, A. H. (2) 219, (5) 820
- Thompson, Gerald and Strawn, Steven**, Compound variables affecting roll compounds exposed to service fluids (abs-S89#37) (4) 772
- Thormer, J.**, see Rohde, E. (abs-S89#1) (4) 767
- Tinker, A. J.**, see Loadman, M. J. R. (2) 234
- Tinker, Andrew J. and Whittle, Ian**, Natural-rubber-based thermoplastic elastomers (abs-F88#48) (1) 166
- Tokuda, M.**, see Chikamune, K. (abs-S89#56) (4) 776
- Tomlinson, Richard W. and Sheridan, Daniel F., Jr.**, Pulsed NMR for molecular structure analysis of EPDM (4) 643
- Touchet, Paul**, see Rodriguez, Gumersindo (abs-S89#3) (4) 767
- Tracey, D. S.**, see Fusco, J. V. (abs-S89#57) (4) 776
- Trask, C. A.**, see Roland, C. M. (5) 896
- Trojan, Michael and Klingensmith, William**, New views on using ground coal fillers (abs-S89#46) (4) 774
- Udagawa, Y. and Ito, M.**, Detection of the molecular orientation in nonvulcanized and vulcanized natural rubber compounds by the low-temperature x-ray method (2) 179
- Ueda, A., Ohyama, T., Watanabe, H., and Yoshioka, A.**, Vibration-isolation characteristics of chemically modified solution-polymerized rubbers for engine mount use (abs-F88#76) (1) 172
- Umeda, Itsuki; Takemura, Yasuhiko; Watanabe, Junichiro; and Funahashi, Yuichi**, Properties of a new silicone/acrylic rubber composite (abs-F88#79) (1) 173
- Utsunomiya, K.**, see Chikamune, K. (abs-S89#56) (4) 776
- Van Ooij, W. J. and Nahmias, M.**, Surface characterization of rubber by secondary ion mass spectrometry (4) 656
- Vazquez, Jose Emilio**, see Martinez, Enrico N. (abs-S89#55) (4) 776
- Vidal, A.**, see Donnet, Jean Baptiste (abs-S89#34) (4) 771
- Vondracek, P.**, see Pouchelon, A. (5) 788

Wallace, John G., Abell, W. Robert III, and Moran, Albert L., Melt-processible rubber—Past, present, and future (abs-F88#64) (1) 169

Watanabe, Akira, see Mori, Kunio (2) 195

Watanabe, N., Oyama, M., and Hashimoto, K., HSN compound for hydraulic hoses (abs-F88#38) (1) 165

Wetton, R. E., Duncan, J. C., Neill, J. T., and Blow A. M. J., Dynamic mechanical properties of polymer melts using the new torsion head for the PL-DMTA (abs-F88#6) (1) 158

Williams, Joel L., Health-care applications of thermoplastic elastomers (abs-F88#84) (1) 175

Wolff, S., see Freund, B. (abs-S89#24) (4) 770

Wong, Henry H., How to select an SPC chart (abs-F88#12) (1) 160

Woodruff, R. J., see Maisel, J. William (abs-S89#29) (4) 771

Yeoh, O. H., see Huang, Y. S. (4) 709

Zhang, T., see Burton, L. C. (5) 838

SUBJECT INDEX*

- Abrasion, of rubber, hypothetical mechanism for (4) 750
- Abrasion pattern, of tank track pads on an asphalt road (abs-F88#34) (1) 165
- Accelerators, sulfenamide, synergism effects in (1) 124
- Adhesion, of tire cord, polyester, carboxylated VP latex for (abs-F88#81) (1) 174
- Adhesion, rubber-to-metal, pull-out and push-out tests for (4) 757
- Adhesion force, preventing development of between metals and NBR vulcanizate (2) 195
- Alcryn, melt-processible rubber (abs-F88#64) (1) 169
- Alkyl-aryl-*p*-phenylenediamines, chemical bonding of to polymers (4) 609
- Alkylthium initiator, for polymerization of conjugated trienes (2) 332
- Amine antioxidant, polymerizable, from *N*-(4-anilinophenyl)-methacrylamide (4) 732
- Antioxidants, amine, bound to CR (1) 13
- Antioxidants, persistent, for polymers with extractive media (abs-F88#63) (1) 169
- Antioxidants, rubber-bound. (1) 13
- Automotive applications, of styrenic thermoplastic elastomers (abs-F88#86) (1) 176
- Automotive elastomers, compounding for increased needs (abs-F88#37) (1) 165
- Automotive uses, of thermoplastic elastomers (abs-F88#87) (1) 176
- Bearings, NR, in base isolation system (abs-F88#75) (1) 172
- Bevilacqua, Edward M., biog., International Rubber Science Hall of Fame, 1988 (2) G47
- Biomedical materials, from segmented polyurethanes and polyurethaneurea based on triblock copolyether (abs-F88#21) (1) 162
- Bis*-(diisopropyl)thiophosphoryl disulfide, synergism with thiazole accelerators (4) 569
- Bis*-maleimide, for Diels-Alder curing of CHR (1) 42
- Blend, of NR and NBR, use of CW-¹H NMR for estimating crosslinking in (2) 234
- Blends, of copolyester thermoplastic elastomers and other resins (abs-F88#56) (1) 168
- Blends, of heterogeneous elastomers, calculating dynamic mechanical properties of (2) 305
- Blends, of NR and EPDM, ozone-resistant (abs-F88#73) (1) 171
- Blends, of NR and epoxidized NR, study of by DSC (4) 585
- Blends, of NR and PP, partially dynamically vulcanized (abs-F88#48) (1) 166
- Bloom method, for preventing fixing between metals and vulcanizates (2) 195
- Bond-angle deformation, in elastomers at high elongations (abs-F88#19) (1) 162
- Bonding, of IIR and NBR, by *in situ* copolymer formation (2) 367
- Book Reviews
- "Compounding Materials for the Polymer Industries," John S. Dick (1) G16
- "Handbook of Thermoplastic Elastomers," Benjamin M. Walker and Charles P. Rader (1) G16
- "Thermoplastic Elastomers: A Comprehensive Review," N. R. Legge, G. Holden, and H. Schroeder, Eds. (1) G17
- Bound rubber, in carbon-black reinforcement (1) 143
- BR, high-molecular-weight ring (1) 33
- BR, structure and properties of various types of (abs-F88#08) (1) 159
- BR, sulfur-vulcanized, solid-state carbon-13 NMR studies of (5) 908
- Branching reactions, in polymerization of conjugated trienes (2) 332
- British Standards Institute and the UK National Standard for quality systems (abs-F88#29) (1) 164

* Prepared by Lois W. Brock

- Calenders, feeding of by rubber processing extruders (abs-S89#20) (4) 770
- Carbon atom number in n -alkane, relation to prevention of ozone cracking in (abs-S89#56) (4) 776
- Carbon black, as it affects molecular orientation in NR (2) 179
- Carbon black, dinitroso-diamine coupling agent for rubber and (abs-F88#59) (1) 168
- Carbon black, effect of on performance of industrial rubber products (abs-S89#43) (4) 774
- Carbon black, in bound rubber, influence on reinforcement (1) 143
- Carbon-black agglomerates, influence of interstitial liquids on cohesive strength of (5) 928
- Carbon-black-loaded NR and SBR, stretching, tearing, and failure of (2) 288
- Carbon-black-loaded rubber, dynamic electrical and electromechanical properties of (5) 838
- Carbon-black-rubber interaction, in polyethylacrylate vulcanizates (2) 357
- Chain end segments, in thermoplastic polyurethanes (abs-F88#47) (1) 166
- Chain scission, of NR, kinetics of (5) 779
- Chains, effective, as influenced by dilutability (1) 55
- Chemical bonding, of alkyl-aryl-*p*-phenylenediamines to polymers (4) 609
- Chlorobutyl rubber, for tire-curing bladders (abs-S89#57) (4) 776
- Chroman mechanism, for vulcanization of IIR by phenolics (1) 107
- CIIR, Diels-Alder reaction curing of with *bis*-maleimide (1) 42
- Coactivation, of delayed action vulcanization (5) 957
- Coal, ground, as filler (abs-S89#46) (4) 774
- Cohesive strength, of carbon-black agglomerates, influence of interstitial liquids on (5) 928
- Compatibilizer, *in situ* formation of for bonding IIR and NBR (2) 367
- Compound variables, for rubber rolls exposed to service fluids (abs-S89#37) (4) 772
- Compounding requirements and techniques, for rubber-covered rolls (abs-S89#38) (4) 772
- Cord-rubber composite models, crack initiation in (4) 709
- Coupling agents, for rubber and carbon black, dinitroso-diamine compounds as (abs-F88#59) (1) 168
- CR, peptizable (abs-S89#9) (4) 769
- CR, reaction of zinc oxide with (1) 1
- Crack growth, determination of using angled testpiece (2) 219
- Crack initiation, in model cord-rubber composites (4) 709
- Crack propagation, brittle, in rubber compounds (1) 98
- Crosslinked networks, characterization of by elasticity models (5) 800
- Crosslinking system, for HNBR, effect of on performance profile of (abs-S89#1) (4) 767
- Crosslinking, effect of on molecular dynamics in NR (1) 82
- Crosslinking, of CR with zinc oxide (1) 1
- Cure coactivators, polymeric, nonmigratory, for accelerated sulfur vulcanization (5) 957
- Cure level, effect of on dynamic properties of NR (abs-S89#49) (4) 774
- Cure synergism, in NR, using thiophosphoryl disulfide and thiazole-based accelerators (4) 569
- Curing members, of CIIR (abs-S89#57) (4) 776
- Degradation, of guayule rubber, postharvest (4) 635
- Diels-Alder reaction curing, of CIIR with *bis*-maleimides (1) 42
- Differential scanning calorimetry (DSC), in study of NR, epoxidized NR, and blends (4) 585
- Diisocyanate ester polyurethane elastomers, for nontransporation tires (abs-S89#53) (4) 775
- Dilutability, as a method for analyzing polyurethane (1) 55
- Dinitroso-diamine compounds, as coupling agents for rubber and carbon black (abs-F88#59) (1) 168
- Donnet, Jean-Baptiste, recipient of George Stafford Whitby Award, 1989, (3) G68
- Dynamic electrical properties, of carbon-black-loaded rubber (5) 838
- Dynamic mechanical properties, of heterogeneous elastomer blends (2) 305
- Dynamic mechanical stress relaxation, for long-term studies of elastomer compounds (review) (3) 387
- Dynamic properties of gum and filled rubber, at various strain amplitudes (abs-S89#51) (4) 775
- Elastic equilibrium, in network recovery from uniaxial extension (5) 863
- Elasticity models, for randomly crosslinked networks (5) 800

- Elastomers, miscible mixtures of (5) 896
- Electromechanical properties, of carbon-black-loaded rubber (5) 838
- Engine mounts, chemically modified solution-polymerized rubbers for (abs-F88#76) (1) 172
- EP(D)M, effect of polymerization variables on properties of (abs-F88#88) (1) 177
- EPDM compounds, surface appearance of extruded, properties affecting (abs-S89#19) (4) 769
- EPDM elastomers, photocrosslinking of (4) 592
- EPDM, pulsed NMR for molecular structure analysis of (4) 643
- Epoxidized NR, and blends with NR, study of by DSC (4) 585
- Epoxidized NR, with improved oil resistance (abs-F88#80) (1) 174
- Extenders for titanium dioxide, synthetic sodium aluminosilicate pigments for (abs-S89#29) (4) 771
- Extractive media, persistent antioxidants for polymers containing (abs-F88#63) (1) 169
- Extruded EPDM, properties affecting surface appearance of (abs-S89#19) (4) 769
- Extruders, rubber processing, for feeding of calenders (abs-S89#20) (4) 770
- Extrusion, of thermoplastic elastomers, screw selection for (abs-F88#67) (1) 170
- Extrusion, short-run, statistical process control for (abs-F88#17) (1) 162
- Fatigue behavior, anomalous, in IR (4) 683
- Fatigue-crack propagation, in NR, constitutive model for (1) 98
- Filled elastomers, relations between properties and loading in (5) 788
- Filler surfaces, characterization of physicochemical changes in (abs-S89#34) (4) 771
- Fillers, from ground coal (abs-S89#46) (4) 774
- Fixing, of vulcanizates and metal, mechanism and prevention of (2) 195
- Flexible rubber-steel sandwich springs (5) 820
- Flow, of rubber compounds, viscoelastic simulation of (5) 939
- Fractography, importance of understanding morphology developments in (2) 288
- Fracture mechanics, and its relation to crack-growth testing (2) 219
- Fracture morphology, of black-loaded SBR subjected to low-cycle, high-stress fatigue (2) 272
- Generalized Solid-Liquid model, for determining viscoelasticity (1) 68
- Gordon Research Conference on Elastomers, July 10-14, 1989 (2) G46
- Guayule rubber, degradation behavior of studied by x-ray photoelectron spectroscopy (2) 315
- Guayule rubber, postharvest degradation of (4) 635
- Health-care uses, for thermoplastic elastomers (abs-F88#84) (1) 175
- Heat aging, of polyethylacrylate vulcanizates with different crosslinking systems (2) 357
- Heat and oil resistance, of silicone/acrylic rubber composite (abs-F88#79) (1) 173
- Hexatriene, *trans*-1,3,5, polymer and copolymer of with styrene (2) 332
- HNBR, effect of crosslinking system on processing behavior of (abs-S89#1) (4) 767
- Hose, hydraulic, highly saturated NBR for increased durability (abs-F88#38) (1) 165
- HSN, high-strength compound of (abs-S89#62) (4) 777
- Hydrodynamic properties, of EPDM and their effect on surface appearance of (abs-S89#19) (4) 769
- IIR, bonding with NBR by *in situ* copolymer formation (2) 367
- IIR, rheological determination of molecular weight of (4) 623
- Industrial rubber products, effect of carbon black on compound performance (abs-S89#43) (4) 774
- Injection mold design, for thermoplastic elastomers (abs-S89#4) (4) 768
- Injection molding grades, of melt-processible rubber (abs-F88#64) (1) 169
- Insoluble sulfur, sulfur-olefin copolymers as substitute for, in NR (abs-F88#61) (1) 169
- International Rubber Science Hall of Fame, 1988, (Edward M. Bevilacqua) (2) G47
- Interpenetrating networks, semi and full, synthetic sequence effects in (abs-S89#8) (4) 768

- Interstitial liquids, in carbon-black agglomerates, influence of on cohesive strength of (5) 928
- IR, anomalous fatigue behavior in (4) 683
- Knight, C. M., in early polymer science at the University of Akron (1) G19
- Lal, Joginder, recipient of Melvin Mooney Distinguished Technology Award, 1989, (3) G67
- Light scattering, from gels (review) (3) 498
- Linear regression, on correlation of rubber properties with service life of T-142 track pads (abs-S89#3) (4) 767
- Loading, effect of on properties of filled elastomers (5) 788
- Loss modulus, as factorizable function in viscoelasticity (1) 68
- Management, role of in implementing statistical quality control (abs-F88#2) (1) 157
- Mass spectrometry, for analysis of rubber components (review) (3) 548
- Mass spectrometry, pyrolysis-field ionization, of rubber vulcanizates (4) 698
- Mass spectrometry, secondary ion, for surface characterization of rubber (4) 656
- Massoubre, Jean-Marie, Charles Goodyear Medalist—1989, biog. (3) G79
- Mean-field calculations, of dynamic mechanical properties of heterogeneous elastomer blends (2) 305
- Mechanism, hypothetical, for abrasion of rubber (4) 750
- Melt-processible rubber, past, present, and future of (abs-F88#64) (1) 169
- Messner, John W., biog. sketch (1) G2
- Metal, dispersed in molten state, effect of on rubber properties (abs-S89#33) (4) 771
- Metal-loaded rubber, interaction of solvent with (abs-F88#22) (1) 163
- Microstructure-fracture-toughness relationship, in NR (1) 98
- Miscible elastomer mixtures (5) 896
- Mixing time, effect of on dynamic properties of NR (abs-S89#49) (4) 774
- Model compound, for study of crosslinking in CR (1) 1
- Moisture, effect of on tensile of urethane copolymers (abs-F88#45) (1) 165
- Mold design, for thermoplastic elastomers (abs-S89#4) (4) 768
- Molecular orientation, of NR by low-temperature x-ray method (2) 179
- Molecular weight, of IIR, rheological determination of (4) 623
- Morphological studies, of black-loaded SBR, at low-cycle, high-stress fatigue (2) 272
- Mullins effect, in uniaxial extensions, origin of (5) 880
- N - (4 - anilinophenyl) - methacrylamide, polymerizable antioxidant, synthesis and copolymerization of (4) 732
- NBR, alloy of PVC and (abs-F88#55) (1) 167
- NBR, bonding with IIR by *in situ* copolymer formation (2) 367
- NBR, highly saturated, for increased durability of hydraulic hose (abs-F88#38) (1) 165
- NBR, with 40% acrylonitrile, detection of weak polar association in (2) 343
- NBR, with PVC, for oil-resistant thermoplastic elastomer (abs-F88#66) (1) 170
- Network recovery, from uniaxial extension. Mullins effect in (5) 880
- Network recovery, from uniaxial tension, elastic equilibrium in (5) 863
- Nitrogen/steam, curing medium for tires (abs-F88#82) (1) 174
- NMR, solid-state carbon-13, of sulfur-vulcanized BR (5) 908
- NMR, C^{13} , solid state, of vulcanized elastomers (1) 82
- NMR, pulsed, for molecular structure analysis of EPDM (4) 643
- NR and PP blend, partially dynamically vulcanized, as thermoplastic elastomer (abs-F88#48) (1) 166
- NR, degradation behavior of studied by x-ray photoelectron spectroscopy (2) 315
- NR, effect of cure level and mixing time on dynamic properties of (abs-S89#49) (4) 774
- NR, epoxidized, with improved oil resistance (abs-F88#80) (1) 174
- NR, kinetics of chain scission in (5) 779
- NR, stretching, tearing, and failure of black-loaded (2) 288
- Nuclear magnetic resonance spectroscopy, continuous wave 1H NMR, for estimating crosslinking in polymer blends (2) 234
- Oil resistance, of epoxidized NR (abs-F88#80) (1) 174
- Oil-resistant thermoplastic elastomers (abs-F88#54) (1) 167
- Oxidation, of rubber (2) G47
- Ozone cracking, relation between prevention of and carbon atom number in n-alkane (abs-S89#56) (4) 776

- Ozone-resistant blends, of NR and EPDM (abs-F88#73) (1) 171
- Peptizable CR (abs-S89#9) (4) 769
- Phenolic resin, for vulcanization of IIR, mechanism of (1) 107
- Photocrosslinking, of EPDM elastomers (4) 592
- Physico-chemical changes, in filler surfaces, influence of on rubber properties (abs-S89#34) (4) 771
- Pigments for rubber, titanium dioxide with synthetic aluminosilicate extenders (abs-S89#29) (4) 771
- PL-Dynamic Mechanical Thermal Analyzer, with new torsion head, for polymer melts (abs-F88#6) (1) 158
- Policy on Technical Papers presented at Rubber Division meetings (1) G15
- Poly(dimethylsiloxane) elastomers, at high elongation, spectroscopic study of (abs-F88#19) (1) 162
- Poly(dimethylsiloxane) elastomers, effect of crosslinks on dynamic mechanic (abs-F88#7) (1) 159
- Polyester/polyether thermoplastic rubber (abs-F88#57) (1) 168
- Polyethylacrylate, carbon-black-rubber interaction and heat-aging of (2) 357
- Polyethylacrylate, interchain associations in (2) 343
- Polyethylene terephthalate, recycling beverage bottles of (abs-F88#85) (1) 176
- Polyethylene, chlorosulfonated, with metal alloy loading (abs-F88#22) (1) 163
- Polyisoprene, degradation behavior of studied by x-ray photoelectron spectroscopy (2) 315
- Polymer melts, dynamic mechanical properties of (F88#6) (1) 158
- Polymer science, history of at The University of Akron (1) G19
- Polymer-chain concentration, as it affects polymer substitutions (abs-F88#11) (1) 159
- Polyurethane, diisocyanate ester-based, in nontransportation tire applications (abs-S89#53) (4) 775
- Polyurethane, triblock, in biomedical materials (abs-F88#21) (1) 162
- Polyurethane elastomers, analyzing by dilutability (1) 55
- Polyurethanes, from 4,4-dicyclohexylmethane diisocyanate, effects of moisture on tensile strength of (abs-F88#45) (1) 165
- Polyurethanes, theroelastic, effect of chain end segments on (abs-F88#47) (1) 166
- Polyurethaneurea, triblock, in biomedical materials (abs-F88#21) (1) 162
- Porter, John P., recipient of Fernley H. Banbury Award, 1989, (3) G69
- Process capability index, formula for determining (abs-F88#14) (1) 161
- Process performance index, formula for determining (abs-F88#14) (1) 161
- Processibility, of BR for tire applications (abs-S89#55) (4) 776
- Processing, of rubber by extrusion for feeding of calendars (abs-S89#20) (4) 770
- Processing agent, for reducing rolling resistance in tires (abs-F88#53) (1) 167
- Processing and performance, of oil-resistant thermoplastic elastomer (abs-F88#66) (1) 170
- Pull-out and push-out tests, for rubber-to-metal adhesion (4) 757
- PVC, alloy of NBR and (abs-F88#055) (1) 167
- PVC, with NBR, for oil-resistant thermoplastic elastomer (abs-F88#66) (1) 170
- Pyrolysis-field ionization mass spectrometry, of rubber vulcanizates (4) 698
- Quality, in Casting Division of Ford Motor Company (abs-F88#1) (1) 157
- Quality control, improving company-wide (abs-F88#31) (1) 164
- Quality systems, under the British Standards Institute (abs-F88#29) (1) 164
- Recycling, of polyethylene terephthalate beverage bottles (abs-F88#85) (1) 176
- Reinforcement, by carbon black, effect of bound rubber on (1) 143
- Relaxation, in sulfur-vulcanized NR (1) 82
- Rheological determination, of molecular weight and molecular-weight distribution (4) 623
- Ring polybutadienes, synthesis of high molecular weight (1) 33
- Roll builders, advances in wrapping with rubber for (abs-S89#41) (4) 773
- Rolling resistance, of tires, processing aid to reduce (abs-F88#53) (1) 167
- Root cause analysis, for quality improvement (abs-F88#16) (1) 161
- Rouse relaxation time, in study of wet skid resistance (2) 246
- Rubber compounds, effect of metal dispersed in molten state on properties of (abs-S89#33) (4) 771

- Rubber Division, ACS, Best Paper Awards, Fall 1988 (4) G96
- Rubber Division, ACS, Best Paper Awards, Spring 1988 (1) G12
- Rubber Division, ACS, Charles Goodyear Medalist—1989, Jean-Marie Massoubre (3) G79
- Rubber Division, ACS, Fernley H. Banbury Award, 1989, to John P. Porter (3) G69
- Rubber Division, ACS, George Stafford Whitby Award, 1989, to Jean-Baptiste Doanet (3) G68
- Rubber Division, ACS, Guide for Authors (3) G70
- Rubber Division, ACS, Information in previous issues (1) G10
- Rubber Division, ACS, Library and Information Services (1) G13
- Rubber Division, ACS, Melvin Mooney Distinguished Technology Award, 1989, to Joginder Lal (3) G67
- Rubber Division, ACS, Officers and Administration (1) G1
- Rubber Division, ACS, Program for 1989 Fall Meeting (4) G97
- Rubber Division, ACS, Program for 1989 Spring Meeting (1) G3
- Rubber mixtures (review) (3) 456
- Rubber properties, in relation to analytical parameters of silicas (abs-S89#24) (4) 770
- Rubber roll coverings, of millable urethane elastomers (abs-S89#39) (4) 773
- Rubber rollers, use of thermoplastic elastomers in (abs-S89#40) (4) 773
- Rubber rolls, compound variables affecting performance under exposure to service fluids (abs-S89#37) (4) 772
- Rubber-covered rolls, compounding requirements and techniques for (abs-S89#38) (4) 772
- Rubber-steel sandwich composite for flexible springs (5) 820
- SBR, black-loaded, fracture morphologies of in low-cycle, high-stress fatigue (2) 272
- SBR, chemically crosslinked, as models in study of polar association (2) 343
- SBR, stretching, tearing, and failure of black-loaded (2) 288
- Seals, dynamic, for sour-gas environments (abs-F88#83) (1) 175
- Seismic isolators, rubber bearings in (abs-F88#75) (1) 172
- Semiempirical relationships, between properties and loading in filled elastomers (5) 788
- Sequence effects, in semi and full interpenetrating networks (abs-S89#8) (4) 768
- Silicas, analytical parameters of and their relation to rubber properties (abs-S89#24) (4) 770
- Silicone rubber, in vibration isolators (abs-F88#78) (1) 173
- Silicone/acrylic rubber composite, properties of for seals (abs-F88#79) (1) 173
- Simmons, H. E., in early polymer science at The University of Akron (1) G19
- Simulation, viscoelastic, of flow of rubber compounds (5) 939
- Sodium aluminosilicate pigments, as extenders for titanium dioxide in rubber (abs-S89#29) (4) 771
- Solubility parameter concepts (abs-S89#36) (4) 772
- Solution-polymerized rubber, in engine mounts (abs-F88#76) (1) 172
- Solvent interaction, with cured and uncured rubber loaded with metal (abs-F88#22) (1) 163
- Spectroscopic evidence, for bond-angle deformation in elastomers (abs-F88#19) (1) 162
- Springs, rubber-steel sandwich flexible (5) 820
- Statistical design, of rubber-modified thermoplastics (abs-F88#88) (1) 177
- Statistical process control, and company-wide quality systems (abs-F88#31) (1) 164
- Statistical process control, as related to process capability indices (abs-F88#15) (1) 161
- Statistical process control, as related to total quality process (abs-F88#30) (1) 164
- Statistical process control, cumulative sum (CUSUM) (abs-F88#13) (1) 160
- Statistical process control, for batch chemical industries (abs-F88#2) (1) 157
- Statistical process control, for short-run extrusions (abs-F88#17) (1) 162
- Statistical process control, in nonproduction environment (abs-F88#28) (1) 163
- Statistical process control, model for evaluating (abs-F88#3) (1) 158
- Statistical quality control, selecting a chart for (abs-F88#12) (1) 160
- Strain amplitudes, effect of on dynamic and thermorheological properties of (abs-S89#51) (4) 775
- Structure-property relations, in thermoplastic polyurethanes (abs-F88#47) (1) 166
- Sulfur-olefin copolymers, as substitute for insoluble sulfur (abs-F88#61) (1) 169

- Surface characterization, of rubber by secondary ion mass spectrometry (4) 656
- Synergism, between thiocarbamyl and 2-benzothiazyl sulfenamide accelerators (1) 124
- Synthetic rubber, U.S. Government program (1) G19
- Tank track pads, pattern abrasion as a mechanism of wear of (abs-F88#34) (1) 165
- Tearing energy, of gum vulcanizates, effect of specimen thickness on (5) 850
- Tensile strength, of urethane copolymers as affected by moisture (abs-F88#45) (1) 165
- Testing, of dynamic seals for sour-gas environments (abs-F88#83) (1) 175
- Thermoplastic elastomers (review) (3) 529
- Thermoplastic elastomers, based on NR and PP blends (abs-F88#48) (1) 166
- Thermoplastic elastomers, copolyester (abs-F88#56) (1) 168
- Thermoplastic elastomers, effects of polymerization variables on properties of (abs-F88#88) (1) 177
- Thermoplastic elastomers, extrusion processing of (abs-F88#67) (1) 170
- Thermoplastic elastomers, for automotive use (abs-F88#87) (1) 176
- Thermoplastic elastomers, for health-care applications (abs-F88#84) (1) 175
- Thermoplastic elastomers, from NBR and PVC (abs-F88#55) (1) 167
- Thermoplastic elastomers, from NBR and PVC, for oil-resistant products (abs-F88#66) (1) 170
- Thermoplastic elastomers, in rubber roller fabrication (abs-S89#40) (4) 773
- Thermoplastic elastomers, injection mold design for (abs-S89#4) (4) 768
- Thermoplastic elastomers, injection molding of (abs-F88#68) (1) 171
- Thermoplastic elastomers, markets for (abs-F88#69) (1) 171
- Thermoplastic elastomers, morphology and properties of (abs-F88#57) (1) 168
- Thermoplastic elastomers, oil-resistant (abs-F88#54) (1) 167
- Thermoplastic elastomers, oil-resistant, from NBR and PVC (abs-F88#66) (1) 170
- Thermoplastic elastomers, styrenic, automotive applications of (abs-F88#86) (1) 176
- Thermoplastic polyurethanes, the first thermoplastic elastomers (abs-F88#65) (1) 170
- Thermorheological properties, of gum and filled rubber at various strain amplitudes (abs-S89#51) (4) 775
- Thiazole-based accelerators, synergistic effect with thiophosphoryl disulfide (4) 569
- Thickness, of specimen, as it affects tearing energy of a gum vulcanizate (5) 850
- Tire compounds, processing agent to reduce rolling resistance of (abs-F88#53) (1) 167
- Tire cord, polyester, improving adhesion of with carboxylated-VP latex (abs-F88#81) (1) 174
- Tires, BR of improved processability for (abs-S89#55) (4) 776
- Tires, curing of in nitrogen/steam atmosphere (abs-F88#82) (1) 174
- Tires, nontransportation, use of diisocyanate ester polyurethane elastomers in (abs-S89#53) (4) 775
- Tires, radial, development and characteristics of (3) G83
- Tires, recommendation of BR compounds for (abs-F88#8) (1) 159
- Tires, wet skid resistance of, based on linear viscoelasticity (2) 46
- Total Quality Excellence, for meeting customer expectations (abs-F88#1) (1) 157
- Total quality process, as a key to quality improvement (abs-F88#30) (1) 164
- TPE, chemistry, structure, properties of the first thermoplastic polyurethanes (abs-F88#65) (1) 170
- Track pads, linear regression on correlation of rubber properties and service of (abs-S89#3) (4) 767
- Transition region motion, and its relation to wet skid resistance (2) 246
- Trienes, conjugated, alkyl lithium-initiated polymerization of (2) 332
- Uniaxial extension, network recovery from (5) 863
- Uniaxial extension, network recovery from, Mullins effect in (5) 880
- University of Akron, history of polymer science at (1) G19
- Urethane elastomers, millable, for rubber roll coverings (abs-S89#39) (4) 773
- Vibration isolation, by silicone rubber (abs-F88#78) (1) 173
- Vibration isolation, design principles for (review) (3) 515

- Vibration isolation, of chemically-modified solution-polymerized rubbers for engine mounts (abs-F88#76) (1) 172
- Vinylpyridine-butadiene-styrene latex, for adhesion of polyester tire cord (abs-F88#81) (1) 174
- Viscoelastic flow, numerical simulation of (review) (3) 426
- Viscoelastic properties, of EPDM and their effect on surface appearance of (abs-S89#19) (4) 769
- Viscoelasticity, of rubber, nonseparable behavior in (1) 68
- Vulcanization, of NR, as it affects molecular orientation (2) 179
- Vulcanization theory (2) G47
- Wet skid resistance, dependence on entanglement density and chain mobility (2) 246
- Whitby, G. S., in early polymer science at The University of Akron (1) G19
- Wrapping, with rubber for building rolls (abs-S89#41) (4) 773
- X-ray photoelectron spectroscopy, in study of elastomer degradation (2) 315
- X-ray, low-temperature, for detecting molecular orientation in NR (2) 179
- Zinc oxide, reaction of with allylic chloride in CR (1) 1
- Zinc-accelerator complexes, in synergistic systems (1) 124

